

	Type	Hits	Search Text	DBs
1	BRS	1	"6785025".pn.	USPAT; USOCR; EPO; JPO
2	BRS	5	("5926289"   "6043866"   "6271939"   "6384941").PN. OR ("6785025").URPN.	US-PGPUB; USPAT; USOCR
3	BRS	8	("6160642").PN. OR ("6271939").URPN.	US-PGPUB; USPAT; USOCR
4	BRS	309	((white black) adj board and scanner)	US-PGPUB; USPAT; USOCR
5	BRS	43	((white black) adj board with scanner)	US-PGPUB; USPAT; USOCR
6	BRS	11	("4703316"   "4777482"   "4782328"   "4812830"   "4851616"   "5414413").PN. OR ("6335724").URPN.	US-PGPUB; USPAT; USOCR
7	BRS	2078	345/173.ccls.	US-PGPUB; USPAT; USOCR
8	BRS	63	((white black) adj board same scanner)	US-PGPUB; USPAT; USOCR
9	BRS	20	S8 not S5	US-PGPUB; USPAT; USOCR
10	BRS	177	((white black) adj board and scanner) and rotat\$3	US-PGPUB; USPAT; USOCR
11	BRS	142	((white black) adj board and scanner) and rotat\$3 and display\$3	US-PGPUB; USPAT; USOCR
12	BRS	58	((white black) adj board and scanner) and rotat\$3 and display\$3 and remot\$3	US-PGPUB; USPAT; USOCR
13	BRS	1	"6233064".pn.	USPAT; USOCR; EPO; JPO
14	BRS	39	("1466766"   "1612832"   "2180007"   "3207908"   "3541580"   "3635557"   "3726589"   "3888584"   "4009954"   "4068950"   "4145138"   "4386846"   "4439036"   "4440491"   "4567528"   "4585334"   "4623247"   "4636868"   "4645332"   "4814606"   "5053819"   "5258806"   "5331434"   "5416610"   "5475505"   "5548417"   "5564686"   "5636006"   "5712718"   "5903364").PN. OR ("6233064").URPN.	US-PGPUB; USPAT; USOCR
15	BRS	428	(document adj scanner) and (rotat\$3 near5 image)	USPAT; USOCR; EPO; JPO
16	BRS	174	S15 and (remote wireless)	USPAT; USOCR; EPO; JPO
17	BRS	104	S16 and (vertica\$3 upright)	USPAT
18	BRS	1	"6661539".pn.	US-PGPUB; USPAT; USOCR
19	BRS	3	("5548417"   "6208437"   "6233064").PN. OR ("6661539").URPN.	US-PGPUB; USPAT; USOCR

20	BRS	14	("4628356"   "4879604"   "4908876"   "4996785"   "5068909"   "5241406"   "5245539"   "5321520"   "5384862").PN. OR ("6208437").URPN.	US-PGPUB; USPAT; USOCR
----	-----	----	---	---------------------------

	Type	Hits	Search Text	DBs
21	BRS	16	("3599477"   "5301043"   "5392447"   "5499108"   "5532825"   "5574497"   "5582470"   "5748228"   "5801851"   "5818610"   "5822080"   "5850296"   "6208437"   "6254572"   "D374217").PN. OR ("6307649").URPN.	US-PGPUB; USPAT; USOCR
22	BRS	0	(document adj scanner) and (rotating near5 electronic adj image)	US-PGPUB; USPAT; USOCR
23	BRS	167	(document adj scanner) and (rotating near5 image)	US-PGPUB; USPAT; USOCR
24	BRS	21	((display adj glass) with treat\$4)	US-PGPUB; USPAT; USOCR
25	BRS	35	((display adj glass) same treat\$4)	US-PGPUB; USPAT; USOCR
26	BRS	14	S27 not S26	US-PGPUB; USPAT; USOCR
27	BRS	1	scanner and (display with (polarized adj glass))	US-PGPUB; USPAT; USOCR
28	BRS	5	(display with (polarized adj glass))	US-PGPUB; USPAT; USOCR
29	BRS	3	((glass adj treat\$4) with ambient)	US-PGPUB; USPAT; USOCR
30	BRS	1310	glass with (anti adj reflection)	US-PGPUB; USPAT; USOCR
31	BRS	275	S32 and (polarized polarised)	US-PGPUB; USPAT; USOCR
32	BRS	6	glass with ((anti adj reflection) with (polarized polarised))	US-PGPUB; USPAT; USOCR
33	BRS	3	(display adj glass) near5 treated	USPAT; USOCR; EPO; JPO
34	BRS	1	(display adj glass) with (ambient adj light)	USPAT; USOCR; EPO; JPO
35	BRS	0	(display adj glass) with ((block\$3 prevent\$3 shield\$3 inhibit\$3) near5 (ambient adj light))	USPAT; USOCR; EPO; JPO
36	BRS	4	(display adj glass) with ((block\$3 prevent\$3 shield\$3 inhibit\$3) near5 light)	USPAT; USOCR; EPO; JPO
37	BRS	1042	lcd with ((block\$3 prevent\$3 shield\$3 inhibit\$3) near5 light)	USPAT; USOCR; EPO; JPO
38	BRS	0	S39 and (document adj scanner)	USPAT; USOCR; EPO; JPO
39	BRS	0	S39 and (dosument adj scanner)	USPAT; USOCR; EPO; JPO
40	BRS	46	S39 and scanner	USPAT; USOCR; EPO; JPO
41	BRS	260	wireless near5 scanning	USPAT; USOCR; EPO; JPO
42	BRS	1	S43 and (rotating near5 image)	USPAT; USOCR; EPO; JPO

43	BRS	43	S43 and (rotating)	USPAT; USOCR; EPO; JPO
44	BRS	0	wireless with (document adj scanning)	USPAT; USOCR; EPO; JPO

	Type	Hits	Search Text	DBs
45	BRS	2	wireless with (image adj rotat\$3)	USPAT; USOCR; EPO; JPO
46	BRS	509	(document adj scanner) and (rotat\$3 near5 image)	US-PGPUB; USPAT; USOCR
47	BRS	1	(document adj scanner) and ((wireless remote) with (rotat\$3 near5 image))	US-PGPUB; USPAT; USOCR
48	BRS	14	("5130806"   "5170340"   "5212786"   "5226112"   "5402527"   "5450571"   "5467434"   "5475801").PN. OR ("5615015").URPN.	US-PGPUB; USPAT; USOCR
49	BRS	13402	sensor with orientation	US-PGPUB; USPAT; USOCR
50	BRS	72	S51 and (document adj scanner)	US-PGPUB; USPAT; USOCR
51	BRS	25	display with (deflect\$3 with ((ambient outside external) adj light\$3))	USPAT; USOCR; EPO; JPO
52	BRS	26	(display lcd) with (deflect\$3 with ((ambient outside external) adj light\$3))	USPAT; USOCR; EPO; JPO
53	BRS	1	S54 not S53	USPAT; USOCR; EPO; JPO
54	BRS	19222	(display lcd ) with polariz\$5	USPAT; USOCR; EPO; JPO
55	BRS	299	((display lcd ) near3 glass) with polariz\$5	USPAT; USOCR; EPO; JPO
56	BRS	8	scanner and ((display lcd ) near3 glass) with polariz\$5	USPAT; USOCR; EPO; JPO
57	BRS	1	"5615015".pn.	USPAT; USOCR; EPO; JPO
58	BRS	1	"6233064".pn.	USPAT
59	BRS	42	("1466766"   "1612832"   "2180007"   "3207908"   "3541580"   "3635557"   "3726589"   "3888584"   "4009954"   "4068950"   "4145138"   "4386846"   "4439036"   "4440491"   "4567528"   "4585334"   "4623247"   "4636868"   "4645332"   "4814606"   "5053819"   "5258806"   "5331434"   "5416610"   "5475505"   "5548417"   "5564686"   "5636006"   "5712718"   "5903364").PN. OR ("6233064").URPN.	US-PGPUB; USPAT; USOCR
60	BRS	12	("5155627").PN. OR ("5416610").URPN.	US-PGPUB; USPAT; USOCR
61	BRS	1	"6661539".pn.	US-PGPUB; USPAT; USOCR
62	BRS	0	((white black) adj board and (scanner adj bar))	US-PGPUB; USPAT; USOCR

63	BRS	41	((image adj display) and (scanner adj bar))	US-PGPUB; USPAT; USOCR
64	BRS	115	(x adj ray) and (scan\$4 adj bar)	USPAT

	Type	Hits	Search Text	DBs
65	BRS	13	("3694653"   "3896576"   "4628356"   "4879604"   "4908876"   "4996785"   "5068909"   "5241406"   "5245539"   "5321520"   "5384862"   "5814809"   "6233065").PN. OR ("6532092").URPN.	US-PGPUB; USPAT; USOCR
66	BRS	25	((image adj display) and (scanner adj bar)) and monitor	US-PGPUB; USPAT; USOCR
67	BRS	4222	((x adj ray) with scan\$4) and wall	US-PGPUB; USPAT; USOCR
68	BRS	4	((x adj ray) with (scan\$4 adj bar)) and wall	US-PGPUB; USPAT; USOCR
69	BRS	2	jerome adj grant	US-PGPUB; USPAT; USOCR
70	BRS	4807	grant.xp.	US-PGPUB; USPAT; USOCR
71	BRS	11	S72 and 358/497.ccls.	US-PGPUB; USPAT; USOCR
72	BRS	15	("4743974"   "4870502"   "4965638"   "5012354"   "5373372"   "5392100"   "5781314").PN. OR ("5999277").URPN.	US-PGPUB; USPAT; USOCR
73	BRS	12	("5194898"   "5221970"   "5610731"   "5801851"   "5900951"   "5999277"   "6005685").PN. OR ("6072602").URPN.	US-PGPUB; USPAT; USOCR
74	BRS	702	grant.xp. and "358"/\$.ccls.	US-PGPUB; USPAT; USOCR
75	BRS	26	grant.xp. and "358"/\$.ccls. and cis	US-PGPUB; USPAT; USOCR
76	BRS	25	S77 not S75	US-PGPUB; USPAT; USOCR
77	BRS	5	grant.xp. and "358"/\$.ccls. and (scan\$4 adj bar)	US-PGPUB; USPAT; USOCR
78	BRS	43866	(scan\$4 read\$3 imag\$3) with (x adj ray)	US-PGPUB; USPAT; USOCR
79	BRS	1976	S80 and (cis (contact adj image adj sensor\$1) (scan\$4 adj bar))	US-PGPUB; USPAT; USOCR
80	BRS	450	S81 and (vertical upright (wall near\$5 mount\$2))	US-PGPUB; USPAT; USOCR
81	BRS	7	"5488451".pn. "5617178".pn. "5847808".pn. "5896230".pn. "6163406".pn. "6424467".pn. "6204874".pn.	USPAT; USOCR; EPO; JPO
82	BRS	52	378/128.ccls.	USPAT; USOCR; EPO; JPO
83	BRS	63	378/178.ccls.	USPAT; USOCR; EPO; JPO
84	BRS	1	"6208437".pn.	USPAT; USOCR; EPO; JPO
85	BRS	15	("4628356"   "4879604"   "4908876"   "4996785"   "5068909"   "5241406"   "5245539"   "5321520"   "5384862").PN. OR ("6208437").URPN.	US-PGPUB; USPAT; USOCR

86	BRS	22	((white black) adj board) and ((scanner adj bar) (cis (contact adj image adj sensor\$1)))	US-PGPUB; USPAT; USOCR
----	-----	----	---	---------------------------



	Type	Hits	Search Text	DBs
87	BRS	312	378/146.ccls.	US-PGPUB; USPAT; USOCR
88	BRS	787	378/197.ccls.	US-PGPUB; USPAT; USOCR
89	BRS	312	378/146.ccls.	US-PGPUB; USPAT; USOCR
90	BRS	781	S90 not S91	US-PGPUB; USPAT; USOCR
91	BRS	390	(wireless near3 scan\$4) and computer	USPAT
92	BRS	9	S93 and (flatbed (flat adj bed))	USPAT
93	BRS	1417	(remote near3 scan\$4) and computer	USPAT
94	BRS	39	S95 and (flatbed (flat adj bed))	USPAT
95	BRS	12	S96 and wireless	USPAT
96	BRS	28	(wireless adj remote adj control) with scan\$4	USPAT
97	BRS	183	((initiat\$3 start\$3) near3 scan\$4) with (wireless remote\$2)	USPAT
98	BRS	5	S99 and (flatbed (flat adj bed))	USPAT
99	BRS	5	(remote\$2 near3 rotat\$3 near3 image) and scanner	USPAT
100	BRS	1	"5615015".pn.	USPAT
101	BRS	73	(scan\$4 adj module) near3 (memory stor\$3)	USPAT
102	BRS	9	((scan\$4 adj module) near3 (memory stor\$3)) with (stor\$3 near3 image)	USPAT
103	BRS	1	"6208437".pn.	USPAT
104	BRS	1	"6532092".pn.	USPAT
105	BRS	136	(scan\$4 adj bar) near3 (memory stor\$3)	USPAT
106	BRS	1	"6721072".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO
107	BRS	6	("4989099"   "5251072"   "5814809"   "6233065"   "6304358").PN. OR ("6721072").URPN.	US-PGPUB; USPAT; USOCR
108	BRS	1757	(memory stor\$3) near7 (within adj (scan\$4 read\$3))	US-PGPUB; USPAT; USOCR
109	BRS	7	S110 and 358/497.ccls.	US-PGPUB; USPAT; USOCR
110	BRS	1	"6233064".pn.	US-PGPUB; USPAT; USOCR

111	BRS	0	(((scan\$4 adj bar) near3 (memory stor\$3)) with computer) and (image near3 rotat\$4)	USPAT
-----	-----	---	---	-------

	Type	Ref #	Hits	Search Text
1	IS&R	S1	0	("((scan\$4orread\$4orimager)near3(upadj rightorvertic\$4orstandingorfac\$4ornote bookordesktop)near7(read\$4orscan\$4)nea r3(bookorpaperorpictureordocumentorshe etorfilmortransparency)and@ad<20010921 )and(read\$4orscan\$4orimag\$5orccd)near5 (mov\$6ortravers\$4oracrossorscan\$orconv ey\$4)and(frameorbezzleorhous\$4orchambe rorcaseorcomputer)").PN.
2	BRS	S2	1465	((scan\$4 or read\$4 or imager)near3 (up adj right or vertic\$4 or standing or fac\$4 or notebook or desktop)near7 (read\$4 or scan\$4) near3 ( book or paper or picture or document or sheet or film or transparency) and @ad<"20010921" ) and (read\$4 or scan\$4 or imag\$5 or ccd)near5 (mov\$6 or travers\$4 or across or scan\$ or convey\$4) and (frame or bezzle or hous\$4 or chamber or case or computer)